Brain Research, 459 (1988) 407–409
Elsevier

Author Index

Adell, A., Trullas, R. and Gelpi, E., Time course of changes in serotonin and noradrenaline in rat brain after predictable or unpredictable shock, 54
Aghajanian, G.K., see Innis, R.B., 27
Anwyl, R., Lee, W.-L. and Rowan, M., The role of calcium in short-term potentiation in the rat hippocampal slice, 192
Aoki, C. and Pickel, V.M., Neuropeptide Y-containing neurons in the rat striatum: ultrastructure and cellular relations with tyrosine hydroxylase-containing terminals and with astrocytes, 205

Barclay, S.R. and Harding, C.F., Androstenedione modulation of monoamine levels and turnover in hypothalamic and vocal control nuclei in the male zebra finch: steroid effects on brain monoamines, 333
Baudry, M., see Ivy, G., 233
Baudry, M., see Seubert, P., 226
Beaujouan, J.C., see Murray, M., 76
Ben-Ari, Y., see Neuman, R., 265
Bérod, A., see Delarue, C., 17
Braun, D.E., see Freed, W.J., 157
Buijs, R.M., see Caffé, A.R., 386
Busto, R., see Ikeda, M., 344

Cacabelos, R., see Niigawa, H., 183
Cadet, J.L., see Pezzoli, G., 398
Caffé, A.R., Van Leeuwen, F.W., Buijs, R.M. and Van der Gugten, J., Vasopressin and noradrenaline coexistence in the rat locus ceruleus: differential decreases of their levels in distant brain areas after thermal and neurotoxic lesions, 386
Cassone, V.M. Circadian variation of [^{14}C]2-deoxyglucose uptake within the suprachiasmatic nucleus of the house sparrow, *Passer domesticus*, 178
Cherubini, E., see Neuman, R., 265
Colle, L. and Wise, R.A., Concurrent facilitory and inhibitory effects of amphetaine on stimulation-induced eating, 356
Colle, L.M. and Wise, R.A., Effects of nucleus accumbens amphetamine on lateral hypothalamic brain stimulation reward, 361

Delarue, C., Leboulenger, F., Morray, M. Héry, F., Verhofstad, A.J., Bérod, A., Denoroy, L., Pelletier, G. and Vaudry, H., Immunohistochemical and biochemical evidence for the presence of serotonin in amphibian adrenal chromaffin cells, 17
Denoroy, L., see Delarue, C., 17
De Yebenes, J.G., see Pezzoli, G., 398
Domínguez, L., see Pasantes-Morales, H., 120
Dreifuss, J.J., see Raggenbass, M., 60
Dubois-Dauphin, M., see Raggenbass, M., 60
Dwork, A., see Pezzoli, G., 398

Ellisman, M.H., see Le Beau, J.M., 93
Emerick, S.G., see Hernandez, D.E., 148

Fahn, S., see Pezzoli, G., 398
Fogarty, J.D., see Kultas-Ilinsky, K., 1

Francis Pau, K.-Y., Gliessman, P.M., Hess, D.L. and Spies, H.G., Effects of estrogen on hypothalamic gonadotropin-releasing hormone release in castrated male rhesus macaques, 70
Freed, W.J. and Braun, D.E., Anticonvulsant activity of deaminated analogues of glutamic acid diethyl ester (GDEE), 157

Gallager, D.W., see Lidow, M.S., 105
Gelpi, E., see Adell, A., 54
Ginsberg, M.D., see Ikeda, M., 344
Gliessman, P.M., see Francis Pau, K.-Y., 70
Glowinsky, J., see Murray, M., 76
Goldman-Rakic, P.S., see Lidow, M.S., 105
Gottlieb, J., see Sabel, B.A., 373
Granholm, A.-C.E. and Palmer, M.R., Electrophysiological effects of norepinephrine on Purkinje neurons in intraocular cerebellar grafts: α- vs β-specificity, 256
Gribnau, A.A.M., see Joosten, E.A.J., 173

Harding, C.F., see Barclay, S.R., 333
Harding, C.F., see Walters, M.J., 37
Henschel, M., see Schröder, H., 328
Herbert, J., see Pezzoli, G., 398
Hernandez, D.E. and Emerick, S.G., Thyrotropin-releasing hormone: medullary site of action to induce gastric ulcers and stimulate acid secretion, 148
Héry, F., see Delarue, C., 17
Hess, D.L., see Francis Pau, K.-Y., 70
Holtzman, S.G., see Mumford, G.K., 163
Holtzman, S.G., see Ukai, M., 275
Hosoya, E., see Sugaya, E., 196
Hughes, B., see Kultas-Ilinsky, K., 1
Hunter, B.E., see King, M.A., 381

Ihara, Y., Massive somatodendritic sprouting of cortical neurons in Alzheimer's disease, 138
Iizuka, S., see Sugaya, E., 196
Ikeda, H., see Jenkins, H.G., 145
Ikeda, M., Busto, R., Yoshida, S., Santiso, M., Martinez, E. and Ginsberg, M.D., Cerebral phosphoinositide triacylglycerol and energy metabolism during severe hypoxia and recovery, 344
Ilinsky, I.A., see Kultas-Ilinsky, K., 1
Innis, R.B., Nestler, E.J. and Aghajanian, G.K., Evidence for G protein mediation of serotonin- and $GABA_B$-induced hyperpolarization of rat dorsal raphe neurons, 27
Ishige, A., see Sugaya, E., 196
Ivy, G., Seubert, P., Lynch, G. and Baudry, M., Lesions of entorhinal cortex produce a calpain-mediated degradation of brain spectrin in dentate gyrus. II. Anatomical studies, 233
Ivy, G., see Seubert, P., 226

Jackson-Lewis, V., see Pezzoli, G., 398
Jenkins, H.G., Tansey, E.M., Macefield, F. and Ikeda, H., Evidence for a T-cell related factor as the cause of demyelination in mice following Semliki Forest virus infection, 145

Johnston, M.V., see McDonald, J.W., 200
Johnstone, B.M., see Rajan, R., 241
Joosten, E.A.J. and Gribnau, A.A.M., Unmyelinated corticospinal axons in adult rat pyramidal tract. An electron microscopic tracer study, 173

Kato, K., see Sano, M., 404
Katoh-Semba, R., see Sano, M., 404
Kawai, Y., Takagi, H., Yanai, K. and Tohyama, M., Adrenergic projection from the caudal part of the nucleus of the tractus solitarius to the parabrachial nucleus in the rat: immunocytochemical study combined with a retrograde tracing method, 369
Keller, A., see Solberg, Y., 168
Kerry, C.J., Ramsey, R.L., Sansom, M.S.P. and Usherwood, P.N.R., Single channel studies of non-competitive antagonism of a quisqualate-sensitive glutamate receptor by argiotoxin$_{636}$ — a fraction isolated from orb-web spider venom, 312
Khalil, Z., Marley, P.D. and Livett, B.G., Effect of substance P on nicotine-induced desensitization of cultured bovine adrenal chromaffin cells: possible receptor subtypes, 282
Khalil, Z., Marley, P.D. and Livett, B.G., Mammalian tachykinins modulate the nicotinic secretory response of cultured bovine adrenal chromaffin cells, 289
King, M.A., Hunter, B.E. and Walker, D.W., Alterations and recovery of dendritic spine density in rat hippocampus following long-term ethanol ingestion, 381
Kultas-Ilinsky, K., Fogarty, J.D., Hughes, B. and Ilinsky, I.A., Distribution and binding parameters of GABA and benzodiazepine receptors in the cat motor thalamus and adjacent nuclear groups, 1

Labbe, R., see Ramirez, J.J., 153
LaCorbiere, M., see Le Beau, J.M., 93
Larson, J., see Seubert, P., 226
Lazdunski, M., see Lombet, A., 44
Le Beau, J.M., LaCorbiere, M., Powell, H.C., Ellisman, M.H. and Schubert, D., Extracellular fluid conditioned during peripheral nerve regeneration stimulates Schwann cell adhesion, migration and proliferation, 93
Leboulenger, F., see Delarue, C., 17
Lee, J., see Seubert, P., 226
Lee, W.-L., see Anwyl, R., 192
Lidow, M.S., Goldman-Rakic, P.S., Rakic, P. and Gallager, D.W., Differential quenching and limits of resolution in autoradiograms of brain tissue labeled with ^{3}H-, ^{125}I- and ^{14}C-compounds, 105
Livett, B.G., see Khalil, Z., 282
Livett, B.G., see Khalil, Z., 289
Lombet, A., Mourre, C. and Lazdunski, M., Interaction of insecticides of the pyrethroid family with specific binding sites on the voltage-dependent sodium channel from mammalian brain, 44
Lynch, G., see Ivy, G., 233
Lynch, G., see Seubert, P., 226

Macefield, F., see Jenkins, H.G., 145
Maeda, H., Maki, S. and Uchimura, H., Facilitatory effects of caerulein on hypothalamic defensive attack in cats, 351
Maki, S., see Maeda, H., 351
Marley, P.D., see Khalil, Z., 282
Marley, P.D., see Khalil, Z., 289
Martin, M.L. and Regan, C.M., The anticonvulsant sodium valproate specifically induces the expression of a rat glial heat shock protein which is identified as the collagen type IV receptor, 131
Martinez, E., see Ikeda, M., 344
McDonald, J.W., Silverstein, F.S. and Johnston, M.V., Neurotoxicity of *N*-methyl-D-aspartate is markedly enhanced in developing rat central nervous system, 200
McEwen, B.S., see Walters, M.J., 37
Mitchell, C.K. and Redburn, D.A., AP4 inhibits chloride-dependent binding and uptake of [^{3}H]glutamate in rabbit retina, 298
Montenegro, J., see Pasantes-Morales, H., 120
Morán, J., see Pasantes-Morales, H., 120
Morra, M., see Delarue, C., 17
Mourre, C., see Lombet, A., 44
Mumford, G.K., Neill, D.B. and Holtzman, S.G., Caffeine elevates reinforcement threshold for electrical brain stimulation: tolerance and withdrawal changes, 163
Murray, M., Saffroy, M., Torrens, Y., Beaujouan, J.C. and Glowinski, J., Tachykinin binding sites in the interpeduncular nucleus of the rat: normal distribution, postnatal development and the effects of lesions, 76

Neill, D.B., see Mumford, G.K., 163
Nestler, E.J., see Innis, R.B., 27
Neuman, R., Cherubini, E. and Ben-Ari, Y., Epileptiform bursts elicited in CA3 hippocampal neurons by a variety of convulsants are not blocked by *N*-methyl-D-aspartate antagonists, 265
Niigawa, H., Yamatodani, A., Nishimura, T., Wada, H. and Cacabelos, R., Effect of neurotoxic lesions in the mamillary bodies on the distribution of brain histamine, 183
Nishimura, T., see Niigawa, H., 183

Palmer, M.R., see Granholm, A.-C.E., 256
Pasantes-Morales, H., Domínguez, L., Montenegro, J. and Morán, J., A chloride-dependent component of the release of labeled GABA and taurine from the chick retina, 120
Pelletier, G., see Delarue, C., 17
Pezzoli, G., Fahn, S., Dwork, A., Truong, D.D., De Yebenes, J.G., Jackson-Lewis, V., Herbert, J. and Cadet, J.L., Nonchromaffin tissue plus nerve growth factor reduces experimental parkinsonism in aged rats, 398
Pickel, V.M., see Aoki, C., 205
Powell, H.C., see Le Beau, J.M., 93

Raggenbass, M., Dubois-Dauphin, M., Tribollet, E. and Dreifuss, J.J., Direct excitatory action of vasopressin in the lateral septum of the rat brain, 60
Rajan, R. and Johnstone, B.M., Binaural acoustic stimulation exercises protective effects at the cochlea that mimic the effects of electrical stimulation of an auditory efferent pathway, 241
Rakic, P., see Lidow, M.S., 105
Ramirez, J.J., Labbe, R. and Stein, D.G., Recovery from perseverative behavior after entorhinal cortex lesions in rats, 153
Ramsey, R.L., see Kerry, C.J., 312
Redburn, D.A., see Mitchell, C.K., 298
Regan, C.M., see Martin, M.L., 131
Reilly, K.J., see Torbati, D., 187
Rowan, M., see Anwyl, R., 192
Ryan, J.P., see Uhl, G.R., 391

Sabel, B.A., Gottlieb, J. and Schneider, G.E., Exogenous

GM1 gangliosides protect against retrograde degeneration following posterior neocortex lesions in developing hamsters, 373
Saffroy, M., see Murray, M., 76
Sano, M., Kato, K., Totsuka, T. and Katoh-Semba, R., A convenient bioassay for NGF using a new subline of PC12 pheochromocytoma cells, 404
Sansom, M.S.P., see Kerry, C.J., 312
Santiso, M., see Ikeda, M., 344
Schneider, G.E., see Sabel, B.A., 373
Schröder, H., Stehle, J. and Henschel, M., Twenty-four-hour pineal melatonin synthesis in the vasopressin-deficient Brattleboro rat, 328
Schubert, D., see Le Beau, J.M., 93
Schwartz, J.P., see Uhl, G.R., 391
Sediguchi, K., see Sugaya, E., 196
Seubert, P., Ivy, G., Larson, J., Lee, J., Shahi, K., Baudry, M. and Lynch, G., Lesions of entorhinal cortex produce a calpain-mediated degradation of brain spectrin in dentate gyrus. I. Biochemical studies, 226
Seubert, P., see Ivy, G., 233
Shahi, K., see Seubert, P., 226
Silverstein, F.S., see McDonald, J.W., 200
Solberg, Y., White, E.L. and Keller, A., Types and distribution of glutamic acid decarboxylase (GAD)-immunoreactive neurons in mouse motor cortex, 168
Spies, H.G., see Francis Pau, K.-Y., 70
Stehle, J., see Schröder, H., 328
Stein, D.G., see Ramirez, J.J., 153
Sugaya, E., Ishige, A., Sediguchi, K., Yuzurihara, M., Iizuka, S., Sugimoto, A. and Hosoya, E., Damage of hippocampal neurons caused by cobalt focus in the cerebral cortex of rats, 196
Sugimoto, A., see Sugaya, E., 196

Takagi, H., see Kawai, Y., 369
Tansey, E.M., see Jenkins, H.G., 145
Tohyama, M., see Kawai, Y., 369
Torbati, D. and Reilly, K.J., Effect of prolonged normobaric hyperoxia on regional cerebral metabolic rate for glucose in conscious rats, 187
Torrens, Y., see Murray, M., 76
Totsuka, T., see Sano, M., 404
Tribollet, E., see Raggenbass, M., 60
Trullas, R., see Adell, A., 54
Truong, D.D., see Pezzoli, G., 398

Uchimura, H., see Maeda, H., 351
Uhl, G.R., Ryan, J.P. and Schwartz, J.P., Morphine alters preproenkephalin gene expression, 391
Ukai, M. and Holtzman, S.G., Effects of intrahypothalamic administration of opioid peptides selective for μ-, κ- and δ-receptors on different schedules of water intake in the rat, 275
Usherwood, P.N.R., see Kerry, C.J., 312

Van Leeuwen, F.W., see Caffé, A.R., 386
Van der Gugten, J., see Caffé, A.R., 386
Vaudry, H., see Delarue, C., 17
Verhofstad, A.J., see Delarue, C., 17

Wada, H., see Niigawa, H., 183
Walker, D.W., see King, M.A., 381
Walters, M.J., McEwen, B.S. and Harding, C.F., Estrogen receptor levels in hypothalamic and vocal control nuclei in the male zebra finch, 37
White, E.L., see Solberg, Y., 168
Wise, R.A., see Colle, L., 356
Wise, R.A., see Colle, L.M., 361

Yamatodani, A., see Niigawa, H., 183
Yanai, K., see Kawai, Y., 369
Yoshida, S., see Ikeda, M., 344
Yuzurihara, M., see Sugaya, E., 196